SPEC FILE

Zoom Lens

ET-**D75LE50**

This fixed-focus lens is designed for use with Panasonic's applicable projectors. The short-throw lens is ideal for rear projection.

NOTE: Please use the lens only on the specified Panasonic projector.

Specifications	
F value:	2.5
Focal distance (f):	14.8 mm
Throw ratio:	4K+ 0.746:1
	WUXGA 0.694:1
	Full HD 0.695:1
	SXGA+ 0.752:1
	WXGA 0.774:1
Dimensions (W \times H \times D):	160 × 160 × 347 mm (6-5/16 × 6-5/16 × 13-21/32 inches)
Weight:	Approximately 7.1 kg* (15.7 lbs*)
Applicable projector	[Group A]
	PT-DZ21K/DZ21K2/DS20K/DS20K2/DW17K/DW17K2/DZ16K/DZ16K2
	[Group B]
	PT-DZ13K/DS12K/DW11K/DZ10K/DZ8700/DZ110K/DS8500/DS1100K/DW8300/DW90K
	[Group C]
	PT-RZ12K/RS11K
	PT-RQ13K
	[Group D]
	PT-RZ21K/RS20K
	PT-RQ22K
	[Group E]
	PT-RZ31K/RS30K
	PT-RQ32K
	[PT-RQ35K/RZ34K/RQ25K/RZ24K/RQ18K/RZ17K/RZ16K

For these projectors see the individual spec files of the projectors

*Average value. May differ depending on the actual unit. The throw ratio is an approximate value calculated by dividing the screen width by the projection distance.

Dimensions



unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances. Weights and dimensions shown are approximate. Specifications subject to change without notice.

As of November 2022



Zoom Lens

ET-**D75LE50**



[Group B]



[Group C]



[Group D]



unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances. Weights and dimensions shown are approximate. Specifications subject to change without notice.



SPEC FILE

Zoom Lens

ET-**D75LE50**



unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances. Weights and dimensions shown are approximate. Specifications subject to change without notice.